

DOCKET No. RUW-101

**IN THE CLAIMS**

1. (Currently Amended) A composition for soothing traumatic conditions of the skin comprising:
  - a. omega-3 fish oils having a total weight of up to about 3000 mg, consisting of gamma-linoleic acid (GLA) in an amount ranging from about 10% to about 40% by weight, eicosapentanoic acid (EPA) from molecularly distilled fish oil in an amount ranging from about 20% to about 60% by weight, and docosahexaenoic acid (DHA) from molecularly distilled fish oil an amount ranging from about 20% to about 60% by weight;
  - b. mixed tocopherols in an amount of up to about 20,000 IU;
  - c. lavender oil in an amount of up to about 1 mg;
  - d. about 120 ml of a pharmaceutically acceptable carrier,  
the composition being active against traumatic conditions of the skin.
2. (Cancelled)
3. (Original) The composition according to claim 1 wherein the pharmaceutically acceptable carrier is cocoa butter.
4. (Original) The composition according to claim 1 wherein
  - a. said 3-omega oils are present in a total weight ranging from about 500 mg to about 2000 mg, said gamma-linoleic acid is present in an amount ranging from about 15% to about 30% by weight, said eicosapentanoic acid from molecularly distilled fish oil is present in an amount ranging from about 30% to about 50% by weight, and said docosahexaenoic acid from molecularly distilled fish oil is present in an amount ranging from about 30% to about 50% by weight.

AMENDMENT

- 2 -

## DOCKET No. RUW-101

- b. said tocopherol is present in an amount between about 1000 IU and about 15000 IU;
  - c. said lavender oil is present in an amount up to about 600 mcg;
  - d. about 120 ml of pharmaceutically acceptable carrier.
5. (Original) The composition according to claim 1 wherein:
- a. said molecularly distilled 3-omega fish oils are present in a total weight of about 1000 mg, said gamma-linoleic acid is present in an amount of about 20% by weight; said eicosapentanoic acid from molecularly distilled fish oil is present in an amount of about 40% by weight; said docosahexaenoic acid from molecularly distilled fish oil is present in an amount of about 40% by weight;
  - b. said tocopherol is present in an amount of about 5600 IU;
  - c. said lavender oil is present in an amount of about 300 mcg;
  - d. in about 120 ml of pharmaceutically acceptable carrier.
6. (Original) The composition according to claim 5 wherein the tocopherol is alpha-tocopheryl acetate and the pharmaceutically acceptable carrier is cocoa butter.
7. (Currently Amended) A composition for soothing traumatic conditions of the skin comprising:
- a. omega-3 fish oils having a total weight of up to about 3000 mg, consisting of gamma-linoleic acid (GLA) in an amount ranging from about 10% to about 40% by weight, eicosapentanoic acid (EPA) from molecularly distilled fish oil in an amount ranging from about 20% to about 60% by weight, and docosahexaenoic acid (DHA) from molecularly distilled fish oil an amount ranging from about 20% to about 60% by weight;
  - b. mixed tocopherols in an amount of up to about 20,000 IU;

AMENDMENT

- 3 -

## DOCKET No. RUW-101

- c. lavender oil in an amount of up to about 1 mg;
  - d. Sodium-PCA in an amount of up to about 1 g;
  - e. about 120 ml of a pharmaceutically acceptable carrier,  
the composition being active against traumatic conditions of the skin.
8. (Original) The composition according to claim 7 wherein said Sodium PCA is present in an amount up to about 0.5 g.
9. (Original) The composition according to claim 8 wherein said Sodium PCA is present in an amount of about 0.25 g.
10. (Currently Amended) A composition for soothing traumatic conditions of the skin comprising:
- a. omega-3 oils having a total weight of up to about 3000 mg, consisting of gamma-linoleic acid (GLA) in an amount ranging from about 10% to about 40% by weight, eicosapentanoic acid (EPA) from molecularly distilled fish oil in an amount ranging from about 20% to about 60% by weight, and docosahexaenoic acid (DHA) from molecularly distilled fish oil an amount ranging from about 20% to about 60% by weight;
  - b. mixed tocopherols in an amount of up to about 20,000 IU;
  - c. lavender oil in an amount of up to about 1 mg;
  - d. Methyl-Sulfonyl-Methane in an amount of about 6 g to about 18 g;
  - e. about 120 ml of a pharmaceutically acceptable carrier,  
the composition being active against traumatic conditions of the skin.
11. (Original) The composition according to claim 10 wherein the Methyl-Sulfonyl-Methane is present in an amount of about 9 g to about 15 g.
12. (Original) The composition according to claim 10 wherein the Methyl-Sulfonyl-Methane is present in an amount of about 12 g.

AMENDMENT

- 4 -

## DOCKET No. RUW-101

13. (Original) A topical composition according to claim 1, characterized in that it is active against radiation dermatitis.
14. (Original) A topical composition according to claim 1, characterized in that it is active against exposure-induced wrinkles.
15. (Original) A topical composition according to claim 1, characterized in that it is active against thermal burns.
16. (Original) A topical composition according to claim 1, characterized in that it is active against sunburn.
17. (Original) The topical composition according to claim 1, characterized in that it is active against dermatomyofibromas.

Claims 18 - 29 (Cancelled)

AMENDMENT

- 5 -